





Complete Lighting Services

Professionalism

complete and professional service in realizing lighting projects


Effectiveness

we will choose the most suitable solutions and best lights based on the type of building or structure

We Will Provide You With

- the most suitable project solution
- commitment
- technical advice
- economical and high-quality lights

“We always deliver more than expected”



Product Overview

Cob & Down Lights 03~38

Cylindrical Lights 39~51

Track Lights 52~62

Office Lighting 63~71

Customized Lights 72~79

Magnetic Lights 80~87

Wall & Outdoor 88~131

Cob & Down Lighting





Eclipse

Finishing



WT

Available Sizes

D95 x H50mm
D95 x H60mm
D95 x H80mm

Cutouts Dia

80mm
80mm
80mm

Wattage

5w
10w
15w

Beam Angle

15°
15°
15°



Alure Deep

Finishing



BL

Available Sizes

D95 x H73mm
D95 x H90mm
D95 x H110mm

Cutouts Dia

80mm
80mm
80mm

Wattage

5w
10w
15w

Beam Angle

24°
24°
24°



Tiny



Finishing



WT

Available Sizes

D31 x 22mm
D40 x 28mm

Cutouts Dia

26mm
28mm

Wattage

1w
3w

Beam Angle

45°
38°



Gama



Finishing



Available Sizes

D85 x H52mm
D100 x H58mm
D115 x H67mm
D160 x H75mm

Cutouts Dia

75mm
85mm
92mm
130mm

Wattage

75w
85w
92w
130w

Beam Angle

60°
60°
60°
60°



Mag



Finishing



WT

Available Sizes

D58 x H78mm

D70 x H95mm

Cutouts Dia

50mm

60mm

Wattage

7w

12w

Beam Angle

20,40°

15,24,38°



Seam



Finishing



Available Sizes

D55 x H60mm
D70 x H70mm

Cutouts Dia

45mm
57mm

Wattage

7w
12w

Beam Angle

24°
24°



Encore



Finishing



WT

Available Sizes

D74 x H50mm

D85 x H58mm

Cutouts Dia

62mm

73mm

Wattage

7w

12w

Beam Angle

20,40°

15,24,38°

Floral



Finishing



BL

Available Sizes

D74 x H50mm

D85 x H58mm

Cutouts Dia

62mm

73mm

Wattage

7w

12w

Beam Angle

20° 40°

15° 24° 38°



Mentor



Finishing



WT

Available Sizes

D102 x H60mm
D102 x H75mm
D125 x H75mm
D148 x H90mm

Cutouts Dia

86mm
86mm
107mm
130mm

Wattage

7w
12w
18w
30w

Beam Angle

38°
38°
38°
38°



Rose



Finishing
.....



Available Sizes

D40 x H58mm
D60 x H82mm
D70 x H100mm

Cutouts Dia

35mm
55mm
65mm

Wattage

6~7w
12~15w
18~20w

Beam Angle

24°
24°
24°

Calm



Finishing



WT



GD



BL



SL

Available Sizes

D70 x H70mm

D85 x H85mm

Cutouts Dia

60mm

75mm

Wattage

6~7w

12~15w

Beam Angle

38°

38°

Sport



Finishing



Available Sizes

- D65 x H88mm
- D85 x H106mm
- D104 x H130mm

Cutouts Dia

- 52mm
- 74mm
- 93mm

Wattage

- 7w
- 12w
- 18w

Beam Angle

- 24°
- 24°
- 36°



Shine



Finishing



WT

Available Sizes

- D50 x H50mm
- D80 x H72mm
- D92 x H86mm
- D95 x H90mm

Cutouts Dia

- 42mm
- 74mm
- 83mm
- 83mm

Wattage

- 3w
- 7w
- 12w
- 18w

Beam Angle

- 20,40°
- 20,40°
- 15,24,38°
- 24,38°



Pluto



Finishing



WT

Available Sizes

D75 x H55mm
D83 x H65mm
D94 x H74mm

Cutouts Dia

57mm
70mm
72mm

Wattage

7w
12w
18w

Beam Angle

20,40°
15,24,38°
,24,38°



Spark



Finishing



WT

Available Sizes

- D65 x 50mm
- D85 x 65mm
- D110 x 70mm
- D135 x 80mm
- D160 x 110mm

Cutouts Dia

- 50mm
- 70mm
- 90mm
- 115mm
- 135mm

Wattage

- 12w
- 20w
- 30w
- 40w
- 40w

Beam Angle

- 24°
- 24°
- 24°
- 24°
- 24°

Bolt



Finishing



WT

Available Sizes

D60 x 76mm
D75 x 100mm
D100 x 100mm
D120 x 120mm

Cutouts Dia

95mm
130mm
150mm
175mm

Wattage

12w
20w
30w
40w

Beam Angle

24°
24°
36°
36°



● — Smooth Design



Finishing



BL

Available Sizes

D89 x H81mm

D110 x H108mm

D135 x H130mm

Cutouts Dia

78mm

100mm

110mm

Wattage

7w

12w

18w

Beam Angle

38°

38°

38°



Java



Finishing



WT

Available Sizes

D125 x H95mm

D130 x H100mm

Cutouts Dia

110mm

115mm

Wattage

18w

30w

Beam Angle

38°

38°



Monte



Finishing



WT

Available Sizes

D88 x H94mm
D108 x H91mm

Cutouts Dia

71mm
91mm

Wattage

12w
18w

Beam Angle

38°
38°



Square



Round

Liberty
Recess



Finishing



WT

Available Sizes

- L98 x W98 x H29mm
- L120 x W120 x W29mm
- L170 x W170 x W29mm
- L230 x W230 x W29mm

Cutouts Dia


- 75x75mm
- 95x95mm
- 145x145mm
- 200x200mm

Wattage

- 8w
- 16w
- 24w
- 32w

Beam Angle

- 120°
- 120°
- 120°
- 120°



Finishing



WT

Available Sizes

L130 x W130mm
L170 x W170mm
L225 x W225mm

Cutouts Dia

105 x 105mm
155 x 155mm
205 x 205mm

Wattage

9w
15w
20w

Beam Angle

120°
120°
120°

Square



Round



Liberty
Surface



Finishing



WT

Available Sizes

L85 x H14mm
L120 x W14mm
L165 x W14mm
L225 x W14mm
L300 x W14mm

Wattage

3w
6~9w
12~15w
20w
24w

Beam Angle

120°
120°
120°
120°
120°



Smart-i

Finishing



Available Sizes

- D119 x H50mm
- D147 x H52mm
- D170 x H55mm

Cutouts Dia

- 110mm
- 139mm
- 160mm

Wattage

- 18w
- 18w
- 24w

Beam Angle

- 120°
- 120°
- 120°



Smart-i

Finishing
.....
WT


Available Sizes
D110 x H50mm
D142 x H52mm
D166 x H55mm

Cutouts Dia
100mm
133mm
155mm

Wattage
18w
18w
24w

Beam Angle
120°
120°
120°

Single



Finishing



WT

Available Sizes

LxW100 x H100mm

Cutouts Dia

L70xW70mm

Wattage

12w
18w

Beam Angle

24°
24°



● — Single



Finishing



WT



BL

Available Sizes

L/w100 x H100mm

Cutouts Dia

75x75

Wattage

12w

Beam Angle

24°



Double

Finishing



WT
BL

Available Sizes

L174xW100xH100

Cutouts Dia

150x75mm

Wattage

2x12w

Beam Angle

24°



Double

Finishing



WT



BL

Available Sizes

L174xW100xH100


Wattage

2x12w

Beam Angle

24°





Blu



Finishing



WT

Available Sizes

L148 x W45 x H52mm

Cutouts Dia

138x34mm

Wattage

10w

Beam Angle

120°



Blu Spot



Blu Spot



Finishing



WT

Available Sizes

L45 x W45 x H52mm

L68 x W45 x H52mm

L95 x W45 x H52mm

L122 x W45 x H52mm

L148 x W45 x H52mm

Cutouts Dia

34x34mm

57x34mm

83x34mm

111.4x34mm

137x34mm

Wattage

1x2w

2x2w

3x2w

4x2w

5x2w

Beam Angle


120°

120°

120°

120°

120°



Finishing.....
WT

Available Sizes

- L56 x W56 x H53mm
- L136 x W60 x H50mm
- L93 x W93 x H52mm
- L213 x W60 x H50mm
- L134 x W134 x H49mm

Cutouts Dia

- 43x43mm
- 120x43mm
- 82x82mm
- 192x42mm
- 120x120mm

Wattage

- 1x5w
- 3x4w
- 4x4w
- 5x4w
- 4x4w

Beam Angle

- 120°
- 120°
- 120°
- 120°
- 120°



Wee

Finishing



WT



GD



BL



SL

Available Sizes

D75 x H20mm

D75 x H28mm

D110 x H32mm

Wattage

3w

5w

10w

Beam Angle

180°

180°

180°

Cylindrical Lighting





Stylish Appearance

Barrel



Finishing



WT
GY
BL

Available Sizes

D80 x H108mm
D80 x H150mm
D80 x H150mm

Wattage

7w
12w
18w

Beam Angle

60°
60°
60°



Barrel-H



Finishing		WT	Available Sizes	D80 x H108mm	Wattage	7w	Beam Angle	60°
		GY		D80 x H150mm		12w		60°
		BL		D80 x H150mm		18w		60°

Barrel-D



Finishing



WT
GY
BL

Available Sizes

D80 x H108mm
D80 x H150mm
D80 x H150mm

Wattage

7w
12w
18w

Beam Angle

60°
60°
60°



Barrel-C



Finishing
.....



WT



BL

Available Sizes

D75 x H100mm

D75 x H150mm

D100 x H100mm

D100 x H150mm

Wattage

12~15w

12~15w

15~20w

15~20w

Beam Angle

24°

30°

24°

30°

Barrel-S



Finishing



WT
GY
BL

Available Sizes

D80 x H108mm
D80 x H150mm
D80 x H150mm

Wattage

7w
12w
18w

Beam Angle

60°
60°
60°



Barrel 360



360°



Finishing



WT

BL

Available Sizes

D100 x H80mm

D110 x H95mm

D115 x H110mm

Wattage

20w

20w

30w

Beam Angle

24°

24°

24°



King



Finishing



WT

BL

Available Sizes

D25 x H150mm

D35 x H300mm

D50 x H300mm

D70 x H450mm

D100 x H600mm

Wattage

5w

8w

12w

12w,15w

15w,25w

Beam Angle

18°

24°

24°

30°

30°



Finishing



WT

BL

Available Sizes

D25 x H 150~300mm

D50 x H 150~300mm

D70 x H 150~300mm

D100 x H 150~300mm

Customized sizes available


Wattage

3w

5-15w

12-25w

10-18w



Finishing



WT

BL

Available Sizes

D50 x H300mm

D50 x H1200mm

Wattage

12w

12w

Beam Angle

24°

24°



Finishing



WT
BL

Available Sizes

D55 x H150mm
D100 x H150mm

Wattage

12 ~ 15w
20w

Beam Angle

24°
24°

Track Lighting





87~89



90~92



93~94



95



96



97



98



Trackon



Trackon



Finishing
.....



WT



BL

Available Sizes

L195 x H110 x H125mm

L85 x W140 x H185mm

Wattage

18w

30w

Beam Angle

38°

38°



Trackon



Trackon



Finishing
.....



WT



BL

Available Sizes

L165 x H88 x D81mm

Wattage

18w

24w

Beam Angle

60°

60°



Lucid-T



Lucid-T



Finishing



WT



BL

Available Sizes

D70 x L115 x H153mm

D90 x L115 x H172mm

D90 x L130 x H195mm

Wattage

10w

20w

30w

Beam Angle

24°

24°

24°



Track-T



Finishing



WT
BL

Available Sizes

- D50 x L118 x H126mm
- D60 x L138 x H140mm
- D80 x L140 x H160mm

Wattage

- 12w
- 18w
- 30w

Beam Angle

- 38°
- 38°
- 38°



Track-S



Finishing



WT



BL

Available Sizes

D50 x L118 x H126mm

D60 x L138 x H140mm

D80 x L140 x H160mm

Wattage

12w

18w

30w


Beam Angle

38°

38°

38°

Flash



Finishing



WT



BL

Available Sizes

D60 x L140 x H170mm

D80 x L170 x H195mm

D90 x L178 x H220mm

Wattage

12w

18w

30w

Beam Angle

38°

38°

38°



Chief



Finishing



WT



BL

Available Sizes

D75 x L115 x H153mm

D89 x L133.5 x H172mm

D100 x L154 x H195mm

Wattage

20w

30w

40w

Beam Angle


38°

38°


38°

Office Lighting






100~101




102



103



104



105~106




107



108



109




110



2X2 Led

Panel Recess



Life Span : 50,000 Hours
Material Specs : Aluminium Powder Coated, Anodized
LED Brand : Edison, Cree, Osram
Driver : Phillips, Bag & Osram
CCT : 3000k, 4000k & 6500k

Available Sizes

L600 x W600 x H170mm

Wattage

24w
30w
36w
48w

Beam Angle


120°





1X4 Led

Suspended Panel



Life Span : 50,000 Hours

Material Specs : Aluminium Powder Coated, Anodized

LED Brand : Edison, Cree, Osram

Driver : Phillips, Bag & Osram

CCT : 3000k, 4000k & 6500k

Available Sizes

L1200 x W300mm

Wattage

36w

Beam Angle

120°



1X4 Led

Recess Panel



Life Span : 50,000 Hours

Material Specs : Aluminium Powder Coated, Anodized

LED Brand : Edison, Cree, Osram

Driver : Phillips, Bag & Osram

CCT : 3000k, 4000k & 6500k

Available Sizes



L1200 x W300mm

Wattage


36w

Beam Angle

120°



Lunar Suspended



Life Span : 50,000 Hours
Material Specs : Aluminium Powder Coated, Anodized
LED Brand : Edison, Cree, Osram
Driver : Phillips, Bag & Osram
CCT : 3000k, 4000k & 6500k

Profile Sizes	L1200 x W24x H24mm	Wattage	24w	Beam Angle 120°
	L1200 x W35x H35mm		30w	
	L1200 x W50x H70mm		36w	
	L1200 x W70x H70mm		48w	



Lunar up & dn



Life Span : 50,000 Hours

Material Specs : Aluminium Powder Coated, Anodized

LED Brand : Edison, Cree, Osram

Driver : Phillips, Bag & Osram

CCT : 3000k, 4000k & 6500k

Profile Sizes

L1200 x W50x H70mm

L1200 x W70x H70mm

Wattage

24w

30w

36w

48w

Beam Angle

120°

Lunar Recess



Life Span : 50,000 Hours

Material Specs : Aluminium Powder Coated, Anodized

LED Brand : Edison, Cree, Osram

Driver : Phillips, Bag & Osram

CCT : 3000k, 4000k & 6500k

Profile Sizes	L1200 x W24x H24mm	Wattage	24w	Beam Angle	120°
	L1200 x W35x H35mm		30w		
	L1200 x W50x H70mm		36w		
	L1200 x W70x H70mm		48w		



Saucer



Life Span : 50,000 Hours

Material Specs : Aluminium Powder Coated, Anodized

LED Brand : Edison, Cree, Osram

Driver : Phillips, Bag & Osram

CCT : 3000k, 4000k & 6500k

Profile Sizes	D400 x H70mm	Wattage	30w	Beam Angle	120°
	D500 x H70mm		40w		
	D600 x H70mm		40w		
	D800 x H70mm		60w		
	D1000 x H70mm		60w		
	D1200 x H70mm		120w		

Customized Lighting





Life Span : 50,000 Hours

Material Specs : Aluminium Powder Coated, Anodized

LED Brand : Edison, Cree, Osram



Driver : Phillips, Bag & Osram

CCT : 3000k, 4000k & 6500k

HOOP


Profile Sizes	D400 x H90mm	Wattage	30w	Beam Angle	120°
	D600 x H90mm		40w		
	D800 x H90mm		60w		
	D1000 x H90mm		60w		
	D1200 x H90mm		120w		

Demilune




Satin nickel ring with integrated LED light modules. 40-watts energy consumption with 2410 lumens, equivalent to 160-watts of incandescent light. Rated to last up to 30,000 hours.

Dia 400/600/800/1000/1200/1500mm



Slim-Ring






Modern LED pendant lamp for living room, dining room, circular rings in white, gold, coffee and black, glowing chandelier, indoor lighting

Dia 400/600/800mm




Coral-Amoeba



The Ameba lamps present a new concept of modern hanging lamp that specifically adapts to the spaces where it's used allowing for the creation of bespoke compositions to suit any project requirements, so that the design professional can achieve a unique and customized lighting solution. The Ameba lamp is a Pete Sans design for Vibia. The Ameba collection brings together 5 different elements that combine and fit together perfectly with one another to allow for an infinite number of compositions. Available in two finishes: matt lacquered white and graphite grey.

The Ameba collection is also available as an individual fitting for private and residential use.

Trine



Finishing



WT



BL

Available Sizes

- D65 x 50mm
- D85 x 65mm
- D110 x 70mm
- D135 x 80mm
- D160 x 110mm

Cutouts Dia

- 50mm
- 70mm
- 90mm
- 115mm
- 135mm


Wattage

- 12w
- 20w
- 30w
- 40w
- 40w

Beam Angle

- 24°
- 24°
- 24°
- 24°
- 24°

Hanging



HEXAD

Life Span : 50,000 Hours
Material Specs : Aluminium Powder Coated, Anodized
LED Brand : Edison, Cree, Osram
Driver : Phillips, Bag & Osram
CCT : 3000k, 4000k & 6500k



Profile Sizes

D600 x W60 x H80mm
D800 x W60 x H80mm
D1000 x W60 x H80mm
D1200 x W60 x H80mm



Wattage

30w
36w
48w
72w

Beam Angle

120°

ELIPSE



Profile Sizes

Available In Any Size

Wattage

28w-30w

Beam Angle

120°

Magnetic Lighting





Profile Sizes

W : 33mm, H : 82mm, L : 1200mm

W : 33mm, H : 82mm, L : 1200mm

Wattage

36w

45w

Mounting Track

Recessed Mounting Track

L1000xW26xH46.8

L2000xW26xH46.8

L3000xW26xH46.8



Surface Mounting Track

L1000xW26xH53

L2000xW26xH53

L3000xW26xH53



Starter Set
Recess



Starter Set
Recess



Starter Set
Surface



Starter Set
Surface



L - Corner
Connection 90°



L - Corner
Connection 90°



T - Corner
Connection



T - Corner
Connection




Outer - Corner
Connection



Inner - Corner
Connection



Lunar Magnetic Light



Finishing



WT



BL

Available Sizes

W300xD22xH25mm

W600xD22xH25mm

W1200xD22xH25mm

Wattage

12w

20w

40w

Beam Angle

110°

110°

110°



Echo Dot Light



Finishing



WT



BL

Available Sizes

W135xD22xH25mm
W270xD22xH25mm
W405xD22xH25mm

Wattage


6w
12w
18w

Beam Angle

24°
24°
24°



Track Light



Finishing



WT



BL

Available Sizes

- D65 x 50mm
- D85 x 65mm
- D110 x 70mm
- D135 x 80mm
- D160 x 110mm

Cutouts Dia

- 50mm
- 70mm
- 90mm
- 115mm
- 135mm

Wattage

- 12w
- 20w
- 30w
- 40w
- 40w

Beam Angle

- 24°
- 24°
- 24°
- 24°
- 24°



Barrel Magnetic



Finishing



WT



BL

Available Sizes

- D65 x 50mm
- D85 x 65mm
- D110 x 70mm
- D135 x 80mm
- D160 x 110mm

Cutouts Dia

- 50mm
- 70mm
- 90mm
- 115mm
- 135mm

Wattage


- 12w
- 20w
- 30w
- 40w
- 40w

Beam Angle

- 24°
- 24°
- 24°
- 24°
- 24°



Outdoor Lighting





SL 8091
LED : 1x3W, 1x5W(COB)
Color Temperature : 3000K,6000k
Material: Die-casting Aluminum with
Toughened Glass
Body Color: Graphite Grey


SL 8091
LED : 2x3W, 2x5W(COB)
Color Temperature : 3000K,6000k
Material: Die-casting Aluminum with
Toughened Glass
Body Color: Graphite Grey






SL 234
LED : 2x8W
Color Temperature : 3000K,6000k
Material: Die-casting Aluminum with
Toughened Glass
Body Color: Graphite Grey




SL 234
LED : 2x6W
Color Temperature : 3000K,6000k
Material: Die-casting Aluminum with
Toughened Glass
Body Color: Graphite Grey










SL 9090
 LED : 2x3W (COB)
 Color Temperature : 3000K,6000k
 Material: Die-casting Aluminum with
 Toughened Glass
 Body Color: Graphite Grey




SL 4002 - Round Lens
 LED : 1x3W, 1x5W(COB)
 Color Temperature : 3000K,6000k
 Material: Die-casting Aluminum with
 Toughened Glass
 Body Color: Graphite Grey




SL 4002 - Square Lens
 LED : 2x3W
 Color Temperature : 3000K,6000k
 Material: Die-casting Aluminum with
 Toughened Glass
 Body Color: Graphite Grey









SL 7010
LED : 2x3W
Color Temperature : 3000K,6000k
Material: Die-casting Aluminum with
Toughened Glass
Body Color: Graphite Grey, PKW




SL 7020
LED : 4x3W
Color Temperature : 3000K,6000k
Material: Die-casting Aluminum with
Toughened Glass
Body Color: Graphite Grey




SL 8910
LED : 2x6W
Color Temperature : 3000K,6000k
Material: Die-casting Aluminum with
Pc Diffuser
Body Color: Graphite Grey



SL 6060
LED : 3x3W
Color Temperature : 3000K,6000k
Material: Die-casting Aluminum with
Acrylic lens
Body Color: Graphite Grey







SL 2004

LED : 1x3W,2x3W,3x3W,4x3W

Color Temperature : 3000K,6000k

Material: Die-casting Aluminum with
Toughened Glass

Body Color: Graphite Grey



SL 2004 - Square Lens

LED : 1x3W,2x3W,3x3W,4x3W

Color Temperature : 3000K,6000k

Material: Die-casting Aluminum with
Toughened Glass

Body Color: Graphite Grey



SL 4004

LED : 4x3W

Color Temperature : 3000K,6000k

Material: Die-casting Aluminum with
Toughened Glass

Body Color: Graphite Grey


SL 1033


LED : 6W



Color Temperature : 3000K,6000k

Material: Die-casting Aluminum with
Pc Diffuser


Body Color: Graphite Grey











SL 8080
LED : 4W
Color Temperature : 3000K,6000k
Material: Die-casting Aluminum with
Pc Diffuser
Body Color: Graphite Grey





SL 8080
LED : 4W
Color Temperature : 3000K,6000k
Material: Die-casting Aluminum with
Pc Diffuser
Body Color: Graphite Grey





SL 9306
LED : 6W
Color Temperature : 3000K,6000k
Material: Die-casting Aluminum ABS
with Pc Diffuser
Body Color: Graphite Grey





SL 9306
LED : 3W
Color Temperature : 3000K,6000k
Material: Die-casting Aluminum ABS
with Pc Diffuser
Body Color: Graphite Grey








SL 2911
 LED : 3W
 Color Temperature : 3000K,6000k
 Material: Die-casting Aluminum with
 Pc Diffuser
 Body Color: Graphite Grey





SL 990
 LED : 4W
 Color Temperature : 3000K,6000k
 Material: Die-casting Aluminum with
 Pc Diffuser
 Body Color: Graphite Grey

SL 990 - Round
 LED : 4W
 Color Temperature : 3000K,6000k
 Material: Die-casting Aluminum
 with Pc Diffuser
 Body Color: Graphite Grey









SL 26A
LED : 3W
Color Temperature : 3000K,6000k
Material: Die-casting Aluminum with
Pc Diffuser
Body Color: White




SL 26B
LED : 3W
Color Temperature : 3000K,6000k
Material: Die-casting Aluminum with
Pc Diffuser
Body Color: White





SL 26C
LED : 2x8W
Color Temperature : 3000K,6000k
Material: Die-casting Aluminum with
Pc Diffuser
Body Color: White



SL 25 Square
LED : 3W
Color Temperature : 3000K,6000k
Material: Die-casting Aluminum with
Toughened Glass
Body Color: White








SL 8093
LED : 2x8W
Color Temperature : 3000K,6000k
Material: Die-casting Aluminum with
Toughened Glass
Body Color: Graphite Grey



SL 8041 Round
LED : 3W
Color Temperature : 3000K,6000k
Material: Die-casting Aluminum with
ABS With Pc Diffuser
Body Color: Graphite Grey



SL 8041 Square
LED : 3W
Color Temperature : 3000K,6000k
Material: Die-casting Aluminum with
ABS With Pc Diffuser
Body Color: Graphite Grey



SL 880-Surface Square


LED : 1x5W (COB)

Holder : 1 X GU -10

Material : Die - Casting Aluminium with Toughened Glass

Body Color : Graphic Gray

Dia : 79*64*64



SL 881 - 1 Square


LED : 1x5W (COB)

Holder : 1 X GU -10

Material : Die - Casting Aluminium with Toughened Glass

Body Color : Graphic Gray

Dia : 79*64*64



SL 881 - 2 Square


LED : 2x5W (COB)


Holder : 1 X GU -10

Material : Die - Casting Aluminium with Toughened Glass

Body Color : Graphic Gray

Dia : 127*64*64



**SL 1044-Surface**

LED : 1x12W (COB)

Holder : 1 X E - 27

Material : Die - Casting Aluminium with Toughened Glass

Body Color : Black

Dia : 150*90

SL 1044



LED : 1x12W (COB)

Holder : 1 X E - 27

Material : Die - Casting Aluminium with Toughened Glass

Body Color : Black

Dia : 155*90

**SL 14-19**


LED : 2x12W (COB)

Holder : 1 X E - 27

Material : Die - Casting Aluminium with Toughened Glass

Body Color : Black

Dia : 225*90



SL 880 - Surface Round

LED : 1x5W (COB)

Holder : 1 X GU - 27

Material : Die - Casting Aluminium with Toughened Glass

Body Color : Graphite Gray

Dia : 82*64

SL 881 - 1 Round


LED : 1x5W (COB)

Holder : 1 X GU - 27

Material : Die - Casting Aluminium with Toughened Glass

Body Color : Graphite Gray

Dia : 82*64



SL 881 - 2 Round


LED : 1x5W (COB)


Holder : 1 X GU - 10

Material : Die - Casting Aluminium with Toughened Glass

Body Color : Graphite Gray

Dia : 158*64



**SL 4050**

LED : 1x1W

Color Temperature : 3000K, 4000K

Material : Die - Casting Aluminium, ABS with PC Diffuser

Body Color : Graphite Gray

Dia : 85*70

**SL 4050**



LED : 2x1W

Color Temperature : 3000K, 4000K

Material : Die - Casting Aluminium, ABS with PC Diffuser

Body Color : Graphite Gray

Dia : 85*70

**SL 4050**


LED : 4x1W

Color Temperature : 3000K, 4000K

Material : Die - Casting Aluminium, ABS with PC Diffuser

Body Color : Graphite Gray

Dia : 85*70





SL 5050


LED : 7W COB

Color Temperature : 3000K, 4000K

Material : Die - Casting Aluminium, ABS with Toughened Glass

Body Color : Silver Finish

Dia : 90*85



SL 5050



LED : 12W COB

Color Temperature : 3000K, 4000K

Material : Die - Casting Aluminium, ABS with Toughened Glass

Body Color : Silver Finish

Dia : 110*110



SL 4040 - Spike

LED : 7W COB

Material : Die - Casting Aluminium with Toughened Glass

Body Color : Graphite Gray

Dia : 186*85*70




SL 4048 - Spike

Material : Die - Casting Aluminium with Toughened Glass

Body Color : Graphite Gray

Dia : 130*100

Holder : E - 27



SL 4095 - Spike with Cap


LED : 5W COB

Holder : GU - 10, casting Aluminium

Material : Die - Casting Aluminium with Toughened Glass

Body Color : Graphite Gray

Dia : 113*60

**SL 4095 - Wall Light with Cap**

LED : 5W COB

Holder : GU - 10, MR-16

Material : Die - Casting Aluminium with Toughened Glass

Body Color : Graphite Gray

Dia : 92*60

**SL 4095 - Spike**


LED : 5W COB

Holder : GU - 10, MR-16

Material : Die - Casting Aluminium with Toughened Glass

Body Color : Graphite Gray

Dia : 92*60

**SL 4095 - Wall Light**

LED : 5W COB

Holder : GU - 10, MR-16

Material : Die - Casting Aluminium with Toughened Glass

Body Color : Graphite Gray

Dia : 113*60






136



136



136



136



137



137




137



137



138



138



138



138



140



140



140







LAI 7001 - Bollard

Material : Die Casting Aluminium with PC Diffuser
 Body Casting : Graphite Grey
 Available Sizes Dia 275mm
 Height 1ft 1.5ft and 3ft

LAI 7002 - Bollard

Material : Die Casting Aluminium with PC Diffuser
 Body Casting : Graphite Grey
 Available Sizes Dia 122mm
 Height 1ft 1.5ft and 3ft



LAI 7003 Square - Bollard

Material : Die Casting Aluminium with PC Diffuser
 Body Casting : Graphite Grey
 Available Sizes L - 210 x W - 210mm
 Height 1ft 1.5ft and 3ft

LAI 7004 Round - Bollard

Material : Die Casting Aluminium with PC Diffuser
 Body Casting : Graphite Grey
 Available Sizes Dia 215mm
 Height 1ft 1.5ft and 3ft



SL 7080 - Bollard

Material : Die Casting Aluminium with PC Diffuser

Body Casting : Graphite Grey

Available Sizes Dia 180mm

Height 1ft 1.5ft and 3ft

**SL 7299 - Bollard**

Material : Die Casting Aluminium with PC Diffuser

Body Casting : Graphite Grey

Available Sizes Dia 275mm

Height 1ft 1.5ft and 3ft

SL 888 - Bollard

Material : Die Casting Aluminium with PC Diffuser

Body Casting : Graphite Grey

Available Sizes Dia 105mm

Height 1ft 1.5ft and 3ft

**SL 188 - Bollard**

Material : Die Casting Aluminium with PC Diffuser

Body Casting : Graphite Grey

Available Sizes L x 150 x W 150mm

Height 1ft 1.5ft and 3ft



LAI 7009 - Bollard

Material : Die Casting Aluminium with PC Diffuser
 Body Casting : Graphite Grey
 Available Sizes L - 250 x W - 250mm
 Height 1ft 1.5ft and 3ft



LAI 7010 - Mushroom - Bollard

Material : Die Casting Aluminium with PC Diffuser
 Body Casting : Graphite Grey
 Available Sizes Dia 275mm
 Height 1ft 1.5ft and 3ft



LAI 7011 - Bollard

Material : Die Casting Aluminium with PC Diffuser
 Body Casting : Graphite Grey
 Available Sizes L - 110 x W - 110mm
 Customized Sized available

LAI 7012 - Bollard

Material : Die Casting Aluminium with PC Diffuser
 Body Casting : Graphite Grey
 Available Sizes Width 52mm
 Customized Sized available





LAI 7011 - Bollard

Material : Die Casting Aluminium with PC Diffuser

Body Casting : Graphite Grey

Available Sizes Dia 155mm

Customized Sized available

LAI 7012 - Mushroom - Bollard

Material : Die Casting Aluminium with PC Diffuser

Body Casting : Graphite Grey

Available Sizes Dia 155mm

Customized Sized available



LAI 7013 - Bollard

Material : Die Casting Aluminium with PC Diffuser

Body Casting : Graphite Grey

Available Sizes Dia 150mm

Customized Sized available





FL 101 - Flood Light

Material : Die Casting Aluminium

Body Casting : Graphite Grey

Size L - 225 x W - 225 x D - 50mm

Available Wattage 30W, 50W, 100, 150W 200W

Also Available in 400W on Request

FL 102 - Flood Light

Material : Die Casting Aluminium

Body Casting : Graphite Grey

Size L - 225 x W - 225 x D - 50mm

Available Wattage 30W, 50W, 100, 150W 200W

Also Available in 400W on Request



FL 103 - Flood Light

Material : Die Casting Aluminium

Body Casting : Graphite Grey

Size L - 225 x W - 225 x D - 50mm

Available Wattage 30W, 50W, 100, 150W 200W

Also Available in 400W on Request

FL 103 - Hi Bay UFO

Material : Die Casting Aluminium

Body Casting : Graphite Grey with PC Diffuser

Size Dia 315 x D 150

Beam Angle 120°

Available Wattage 30W, 50W, 100, 150W 200W

Also Available in 400W on Request



LAI 8005 - Street light

Material : Die Casting Aluminium
Body Casting : Graphite Grey
Size L - 350 x W - 180 x D - 40mm
Available Wattage 30W, 50W, 100, 150W 200W
Also Available in 400W on Request

**LAI 8006 - Flood Light**

Material : Die Casting Aluminium
Body Casting : Graphite Grey
Size Dia 350 Height 260mm
Beam Angle 90°
Available Wattage 30W, 50W, 100, 150W 200W
Also Available in 400W on Request

LAI 8007 - Flood Light

Material : Die Casting Aluminium
Body Casting : Graphite Grey
Size Dia 350 Height 260mm
Beam Angle 90°
Available Wattage 30W, 50W, 100, 150W 200W
Also Available in 400W on Request

**LAI 8008 - Street Light**

Material : Die Casting Aluminium
Body Casting : Graphite Grey
Size L - 308 x W - 125 x D - 40mm
Available Wattage 30W, 50W, 100, 150W 200W
Also Available in 400W on Request






147



148



148



148



150



150



150



150




151



151



151




151



152



152



152



154



154



154



Pole Light

LAI 9001 - Pole Light
Available Wattage 30W
Customized pole height



LAI 9002 - Pole Light
Available Wattage 30W
Customized pole height



LAI 9003 - Pole Light
Available Wattage 30W
Customized pole height

LAI 9004 - Pole Light
Available Wattage 30W
Customized pole height







LAI 9005 - Pole Light
Available Wattage 30W
Customized pole height



LAI 9006 - Pole Light
Available Wattage 30W
Customized pole height



LAI 9007 - Pole Light
Available Wattage 30W
Customized pole height



LAI 9008 - Pole Light
Available Wattage 30W
Customized pole height




LAI 9009 - Pole Light
Available Wattage 30W
Customized pole height



LAI 9010 - Pole Light
Available Wattage 30W
Customized pole height



LAI 9011 - Pole Light
Available Wattage 30W
Customized pole height



LAI 9012 - Pole Light
Available Wattage 30W
Customized pole height



LAI 9013 - Pole Light
Available Wattage 30W
Customized pole height



LAI 9014 - Pole Light
Available Wattage 30W
Customized pole height



LAI 9015 - Pole Light
Available Wattage 30W
Customized pole height






PL 101 - Arc Pole Light
Available Wattage 30W
Customized pole height



PL 102 - Arc Pole Light
Available Wattage 30W
Customized pole height



LAI 1103 - Decorative Pole Light
Size Dia 450 mm
Available Wattage 30W
Customized pole height



Office Lighting Decorative Lighting Retail Lighting Architectural Lighting

LIGHTARCH
INDIA

186, 3rd Floor, DSIDC Shed,
Okhla Phase-1, New Delhi-110020
PH: 9911338886
lightarchindia@gmail.com